

**CP- VNR-216T4****16 Ch. Network Video Recorder****Main Features**

- 16 Ch. with 1080p Realtime Live View
- H.264/MJPEG dual codec decoding
- 128/96 Mbps Incoming/Outgoing Bandwidth
- Support 4 SATA HDDs up to 24TB, 3 USB
- Support Multi-brand network cameras
- Mobile Software for Android, iOS
- CMS Software: IVMS



**CP- VNR-216T4****16 Ch. Network Video Recorder****Feature**

Processor  
Operating System  
IP Camera Input  
Two-way Talk  
User Interface  
Video Output  
Compression  
Video Resolution  
Video Recording  
Video Display Split  
Audio Input  
Audio Output  
Alarm Input  
Alarm Output  
Hard Disk

**Specification**

Dual-core embedded processor  
Embedded LINUX  
16 channel  
1 channel, RCA  
GUI  
HDMI, VGA  
H.264 / MJPEG  
Upto 8MP  
Max 96 Mbps  
1/4/8/9/16  
1 channel, RCA  
1 channel, RCA  
8 channel  
2 channel  
4 SATA ports, up to 24TB

Playback  
Play, Pause, Stop, Rewind, Fast play, Slow play, Next file, Previous file, Next camera, Previous camera, Full screen, Repeat, Shuffle, Backup selection, Digital zoom

Interface Ports  
2 USB2.0, 1 USB3.0, 1 HDMI, 1VGA, 1 RJ45, 1 RS485

Ethernet  
2 RJ-45 10M/100M/1000M adaptive Ethernet Interface

Protocols  
HTTP, TCP/IP, IPV4, UPNP, RTSP, UDP, SMTP, NTP, DHCP, DNS, IP Filter, PPPOE, DDNS, FTP, IP Server, P2P

Power Supply  
12 VDC, 2A

Power Consumption  
≤6 W (without hard disk)

Working Temp  
-10°C ~ + 55°C (+14°F ~ +131°F)

Working Humidity  
10% ~ 90%

Dimensions  
44.0mm × 440.0mm × 341.0mm (1.73" × 17.30" × 13.47")

Weight  
≤3Kg.