

# CP- UNC-TE20FL10-M

2 MP Full HD IP IR Bullet Camera - 100 Mtr.



## Main Features

- 1/2.8" 2Megapixel PS CMOS Image Sensor
- H.264 & MJPEG dual-stream encoding
- Max 25/30fps@1080P(1920×1080)
- DWDR, Day/Night(ICR), 3D-DNR, AWB, AGC, BLC
- IR Range of 100 Mtrs.
- 3.3mm~12mm varifocal lens (7mm~22mm optional)
- Supports PoE, IP66
- Mobile Software: iCMOB, gCMOB, wCMOB
- CMS Software: KVMS Pro, vOptimus Pro



# CP-UNC-TE20FL10-M

## 2 MP Full HD IP IR Bullet Camera - 100 Mtr.

### Feature

Image Sensor  
Minimum Illumination  
Shutter Speed  
White Balance  
Lens  
Gain Control(AGC)  
S/N Ratio  
Back Light Compensation  
Video Compression  
Video Streaming  
Video Output  
Resolution  
Privacy Mask  
ICR  
Audio Input  
Audio Compression  
Audio Output  
Alarm IN  
Alarm Out

### Specification

1/2.8" 2Megapixel CMOS  
0.01Lux/F1.4 (Color), 0Lux/F1.4(IR on)  
Auto/Manual, 1/3(4)~1/10000s  
Auto  
3.3mm~12mm varifocal lens (7mm~22mm optional)  
Auto/Manual  
More than 50 dB  
BLC / HLC / DWDR  
H.264/ H.264H/ MJPEG  
Main Stream:1080P/720P(1 ~ 25/30fps), Extra Stream: D1/CIF(1 ~ 25/30fps)  
1 channel BNC(1.0Vp-p, 75Ω)  
1080P(1920×1080)/720P(1280×720)/D1(704×576)/CIF(352×288)  
Up to 4 areas  
Auto(ICR)/Color/B/W  
1 Ch.  
G.711a/ G.711u/ PCM  
1 Ch.  
2 Ch.  
1 Ch.  
  
IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP,RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour, ONVIF Profile S  
  
RJ-45 (10/100Base-T)  
20 users  
IR Range of 100 Mtr.  
iPhone, iPad, Android, Windows Phone  
Micro SD, Max 64GB  
-30°C~+60°C, Less than 95% RH  
DC12V, PoE(802.3af)  
<16W  
IP66  
CE, FCC and RoHS



# CP- UNC-TE20FL10-M

2 MP Full HD IP IR Bullet Camera - 100 Mtr.

## Feature

Dimension

Weight

## Specification

288.3mm × 118.3mm × 101mm

2.5kg



*\*Product casing and specifications are subject to change without prior notice*