


CP- UNP-2013TL10-P

1.3 MP Full HD IP IR PTZ Camera



Main Features

- 1/3" CMOS Image sensor
- Powerful 20x Optical and 16x Digital zoom
- Max. 25/30fps@1.3MP and 720P Resolution
- DWDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus
- Up to 300 Presets, 8 Tour, 5 Pattern, 5 Auto scan
- Max 400°/s pan speed, 360° endless pan rotation
- IR Range of 100 Mtr.
- Built-in 2/1 alarm in/out, IP66, PoE Plus
- Mobile Software: iCMOB, gCMOB, wCMOB
- CMS Software: KVMs Pro, vOptimus Pro



CP- UNP-2013TL10-P

1.3 MP Full HD IP IR PTZ Camera

Feature

Image Sensor
Effective Pixels
S/N Ratio
Minimum Illumination
Focal Length
Focus Control
White Balance
Close Focus Distance
Angle of View
Electronic Shutter
AGC control
Back Light Compensation
Optical Zoom
Digital Zoom
Pan Travel
Tilt Travel
Presets
Preset Speed
Privacy Masking
Special Features
Power up Action
Time Task
Idle Motion
Day/Night: IR Cut Filter
Video Compression
Video Streaming
Audio Compression
Audio Streaming
IVS

Protocols

Specification

1/3" CMOS
1280(H) x 960(V), 1.3Megapixels
More than 55dB
Color: 0.05Lux@F1.4; B/W: 0.005Lux@F1.4
4.7mm ~ 94.0mm
Auto / Manual
Auto, ATW, Indoor, Outdoor, Manual
100mm~ 1000mm
H: 54.1° ~ 3.2°
1/3 ~ 1/30,000s
Auto / Manual
BLC / HLC / DWDR
20x
16x
0° ~ 360° endless, Pan Speed: 0.1° ~ 300°/sec
-15° ~ 90°, auto flip 180°, Tilt Speed: 0.1° ~ 200°/sec
300
Pan: 400° /s; Tilt: 300° /s
Up to 24 areas
IR Range of 100 Mtr., Up to 300 Presets, 8 Tour, 5 Pattern, 5 Auto scan
Auto restore to previous PTZ and lens status after power failure
Auto activation of Preset/Pan/Scan/Tour/Pattern by preset-time
Activate Preset/ Pan/ Scan/ Tour/ Pattern if there is no command in the specified period
Auto(ICR) / Color / B/W
H.264 / MJPEG
Main Stream: 1.3MP & 720P(1 ~ 25/30fps), Sub Stream : D1/CIF(1 ~ 25/30fps)
G.711a / G.711u(32kbps)/ PCM(128kbps)
1/1 channel In/Out
Tripwire, Intrusion, Abandoned Object Detection, Missing Object Detection, Face Detection

IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPoE, DDNS, FTP, IP Filter, QoS, Bonjour, 802.1x, ONVIF PSIA CGI

CP- UNP-2013TL10-P

1.3 MP Full HD IP IR PTZ Camera

Feature

Alarm
Max Remote Users
Operating Temperature
Smart Phone
Memory Slot
Weather Proof Standard
Dimension
Weight
Power Source
Power Consumption

Specification

2/1 channel In/Out
20 users
DC12V: -30°C ~ 60°C / Less than 90% RH, AC24V: -40°C ~ 70°C / Less than 90% RH
iPhone, iPad, Android, Windows Phone
Micro SD, Max 128GB
IP66
Φ186mm x 309 (mm)
3.5 kg
AC24V/ DC12V, POE plus(802.3at)
DC12V: 13W, 20W (IR on), AC24V: 13W, 23W (IR on)